

# BREGENZ, VIENNA, SALZBURG, INNSBRUCK, LINZ

## Технические характеристики


### По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231	Казань (843)206-01-48	Новокузнецк (3843)20-46-81	Смоленск (4812)29-41-54
Архангельск (8182)63-90-72	Калининград (4012)72-03-81	Новосибирск (383)227-86-73	Сочи (862)225-72-31
Астрахань (8512)99-46-04	Калуга (4842)92-23-67	Омск (3812)21-46-40	Ставрополь (8652)20-65-13
Барнаул (3852)73-04-60	Кемерово (3842)65-04-62	Орел (4862)44-53-42	Сургут (3462)77-98-35
Белгород (4722)40-23-64	Киров (8332)68-02-04	Оренбург (3532)37-68-04	Тверь (4822)63-31-35
Брянск (4832)59-03-52	Краснодар (861)203-40-90	Пенза (8412)22-31-16	Томск (3822)98-41-53
Владивосток (423)249-28-31	Красноярск (391)204-63-61	Пермь (342)205-81-47	Тула (4872)74-02-29
Волгоград (844)278-03-48	Курск (4712)77-13-04	Ростов-на-Дону (863)308-18-15	Тюмень (3452)66-21-18
Вологда (8172)26-41-59	Липецк (4742)52-20-81	Рязань (4912)46-61-64	Ульяновск (8422)24-23-59
Воронеж (473)204-51-73	Магнитогорск (3519)55-03-13	Самара (846)206-03-16	Уфа (347)229-48-12
Екатеринбург (343)384-55-89	Москва (495)268-04-70	Санкт-Петербург (812)309-46-40	Хабаровск (4212)92-98-04
Иваново (4932)77-34-06	Мурманск (8152)59-64-93	Саратов (845)249-38-78	Челябинск (351)202-03-61
Ижевск (3412)26-03-58	Набережные Челны (8552)20-53-41	Севастополь (8692)22-31-93	Череповец (8202)49-02-64
Иркутск (395)279-98-46	Нижний Новгород (831)429-08-12	Симферополь (3652)67-13-56	Ярославль (4852)69-52-93
Россия (495)268-04-70	Киргизия (996)312-96-26-47	Казахстан (7172)727-132	

# Polyester Filter (privat)



<b>Ø 400</b> FILTER LID	<b>HIGH</b> FILTRATION BED
<b>1 1/4"</b> DRAIN PLUG	<b>&lt;42 °C</b> OPERATIONTEMP.
<b>2.5 BAR</b> OPERATION PRESSURE	<b>SIGHT WINDOW</b> TRANSPARENT



## CREATE YOUR OWN FULLY AUTOMATIC POOL FILTER

Select from the wide range the filter dimension you need + the Aquastar® model. We install the original Praher 7-position backwash valve included in the filter set. Of course all Aquastar® models can be delivered with the matching piping sets for all common filter brands for retro-fit and automation of your manual filter system.



## Polyester filter BREGENZ II

in color RAL7024, graphite gray, with transparent flange cover d400, incl. original Praher 11/2 "or 2" 7-way valve, side mount and piping set, 5 years guarantee for filter tank tightness

### CONSTRUCTION

The special construction of the BREGENZ 2 filter series makes inspection and maintenance of the filter much easier. The filter body is made of isophthalic resin, resistant glass fibers and UV-resistant gelcoat. Careful selection of raw materials and consolidated application solutions guarantee maximum mechanical resistance against the constant workloads such as pressure fluctuations, closing / opening of the valve, start / stop of the pump, etc. All components in contact with the bathwater are corrosion resistant, inhibit bacterial growth and affect the water quality not negatively.

### PRODUCT DETAILS

- laminated filter made of special fibre glass
- external coat: UV resistant gel coat
- large, transparent lid d400
- higher filter bed for better filtration
- large filter drain 1 1/4"
- nickel brass adapter for manometer
- nut made of nickel brass
- protective tape
- operation pressure max: 2,5 bar
- test pressure max.: 3,75 bar
- max. operation temperature: 42 °C

### TECHNICAL DETAILS

Prod.No.	7300243	7300245	7300246	7300247
Ø mm	520	640	760	900
A	730	800	970	970
B	480	530	580	580
C	355	405	440	440
Nature Works kg	100 kg	160 kg	280 kg	340 kg
Flow m³/h	10	16	23	32
Connection	1 1/2"	2"	2"	2"

Product	G-kg	PU	Prod.No.
<b>Polyester filter BREGENZ II</b>			
Polyester filter BREGENZ II d520 RAL7024 graphite grey, flange cover 400mm, incl. original Praher 1 1/2" 6-way valve, side mount	18.00	1.00	7300243
Polyester filter BREGENZ II d640 RAL7024 graphite grey, flange cover 400 mm, with original Praher 2" 6-way valve, side mount	22.00	1.00	7300245
Polyester filter BREGENZ II d760 RAL7024 graphite grey, transparent flange cover 400 mm, incl. original Praher 2" 6-way valve, side mount	30.00	1.00	7300246
Polyester filter BREGENZ II d900 RAL7024 graphhite grey, transparent flange cover 400 mm, incl. original 2" 6-way valve, side mount	44.00	1.00	7300247
Drainage set Bregenz II incl. drain valve with hose connection	0.00	1.00	7300852
<b>AQUASTAR COMFORT, prices without filter</b>			
AquaStar Comfort 3001-24 for V6 ND 1 1/2" + 2" 24V AC/DC, digital clock	2.26	1.00	131219
AquaStar Comfort 3001-230 for V6 ND 1 1/2" + 2" 100-240 VAC, digital clock	2.36	1.00	131220
AquaStar Comfort 3001-24 for V6 ND 1 1/2" + 2" 24V AC/DC, SafetyPack, digital clock	2.68	1.00	131288
AquaStar Comfort 3001-230 for V6 ND 1 1/2" + 2" 100-240 VAC, SafetyPack, digital clock	2.78	1.00	131289
AquaStar Comfort 4001-24 for V6 ND 1 1/2" + 2" 24V AC/DC, time and pressure switch	2.24	1.00	131244
AquaStar Comfort 4001-230 for V6 ND 1 1/2" + 2" 100-240 VAC, time and pressure switch	2.34	1.00	131245
AquaStar Comfort 4001-24 for V6 ND 1 1/2" + 2" 24V AC/DC, SafetyPack, time and pressure switch	2.66	1.00	131292
AquaStar Comfort 4001-230 for V6 ND 1 1/2" + 2" 100-240 VAC, SafetyPack, time and pressure switch	2.75	1.00	131293
AquaStar Comfort 6501-24 for V6 ND 1 1/2" + 2" 24V AC/DC, digital time-pump clock + pressure switch	2.28	1.00	131270
AquaStar Comfort 6501-230 for V6 ND 1 1/2" + 2" 100-240 VAC, digital time-pump clock + pressure switch	2.38	1.00	131271
AquaStar Comfort 6501-24 for V6 ND 1 1/2" + 2" 24V AC/DC, SafetyPack, digital time-pump clock + pressure switch	2.70	1.00	131298
AquaStar Comfort 6501-230 for V6 ND 1 1/2" + 2" 100-240 VAC, SafetyPack, digital time-pump clock + pressure switch	2.79	1.00	131299

## Compact filter unit BREGENZ II

with original Praher 7-way valve, grey, incl. glued piping set + 3 OCEAN unions, transparent filter lid d400, with high standard filter pump Europro, installed on PE filter palette.




Product	G-kg	PU	Prod.No.
Compact filter unit BREGENZ II d520, graphite grey RAL7024, d400 filter lid transparent. Praher 1 1/2" 6 way backwash valve set, Europro filter pump 50M 11m3/h, 230V	55.00	1.00	7300803
Compact filter unit BREGENZ II d640, graphite grey RAL7024, d400 filter lid transparent. Praher 2" 6 way backwash valve set, Europro filter pump 75M 14m3/h, 230V	65.00	1.00	7300804

### + EUROPRO FILTER PUMP

Symbol image without piping,  
delivery with piping already fixed.



Large, transparent lid with 400 mm diameter;  
black lid made of PPGF on request



Transparent sight window to control the sand  
height.



Large drain plug 1 1/4" AG for quick and easy  
emptying




Drainage kit incl. drain valve with hose connec-  
tion (parts delivered loose, not included in filter  
package)



Optionally, exakt venting with Praher  
S4 laboratory ball valve (chapter PVC  
Valves, Prod.No. 122353A)



<b>Ø200</b> FILTER LID	<b>3/4"</b> ABLASSVENTIL
<b>2.5 BAR</b> OPERATION PRESSURE	<b>MODEL</b> Ø610 - 2"



**RAL 5015 2"**

**RAL 6018 2"**



**Valves are not included in the delivery of filter INNSBRUCK and have to be ordered separately.**  
You will find piped valves in the price table; matching Praher 7-Position backwash valves, piping parts and automatic Aquastar electric actuators see chapter Backwash Valves.

## Polyester filter INNSBRUCK

RAL 5015 blue, transparent filter lid, man hole 20 cm. Manometer, manual aerating, neutral single packing, drain valve, 2 x IBG unions with solvent socket, +40°C resistance, 2 years guarantee for filter tank thightness, without valve

### TECHNICAL DETAILS

Ø Filter D mm	Ø 510	Ø 610	Ø 610 (*)	Ø 780	Ø 915
H mm	820	870	870	915	980
H1 mm	900	950	950	995	1060
B mm	155	155	155	165	165
Connection	d50	d50	d63	d63	d63
Filtration Area m <sup>2</sup>	0,2	0,28	0,28	0,5	0,63
Flow m <sup>3</sup> /h at 50 m <sup>2</sup> /h/m <sup>2</sup>	9	14	14	25	30
Sand kg	95	120	120	200	400
0,4 - 0,8 mm	75 kg	65 kg	65 kg	110 kg	270 kg
3,0 - 5,0 mm	25 kg	55 kg	55 kg	90 kg	130 kg
Gross Weight kg	23	26	28	38	49

(\*) improved Flow and Pressure Loss Values using a 2" valve, see diagrams in chapter Manual Backwash Valves

Product	G-kg	PU	Prod.No.
<b>Polyester filter INNSBRUCK</b>			
Polyester filter INNSBRUCK d510 transparent cover, inner filter ventilation, blue RAL 5015, connection 2x 1 1/2"/d50, without backwash valve	23.00	1.00	7300209
Polyester filter INNSBRUCK d610 transparent cover, inner filter ventilation, blue RAL 5015, connection 2x 1 1/2"/d50, without backwash valve	26.00	1.00	7300210
Polyester filter INNSBRUCK d610 transparent cover, inner filter ventilation, blue RAL 5015, connection 2x 2"/d63, without backwash valve	26.00	0.00	7300211
Polyester filter INNSBRUCK d610 transparent cover, inner filter ventilation, green RAL 6018, connection 2x 2"/d63, without backwash valve, black filter base	28.00	1.00	7300416
Polyester filter INNSBRUCK d780 transparent cover, inner filter ventilation, blue RAL 5015, connection 2x 2"/d63, without backwash valve	42.75	1.00	7300212
Polyester filter INNSBRUCK d915 transparent cover, inner filter ventilation, blue RAL 5015, connection 2x 2"/d63, without backwash valve	53.00	1.00	7300213
<b>Backwash valve, with piping set</b>			
Back wash valve V6 ND SM10 3 1 1/2" ABS white BSP thread, Top+Bottom slip d50 metric MOP 3,5 bar NBR tpe incl. pipe-system single packed, pipe elbow distance 155 mm, Praher-label INNSBRUCK glued	1.88	1.00	7300277
Back wash valve V6 ND SM20 3 2" ABS white BSP thread, Top+Bottom slip d63 metric MOP 3,5 bar NBR tpe incl. pipe-system single packed, pipe elbow distance 165 mm, Praher-label INNSBRUCK glued	2.73	1.00	7300600
<b>Drain valve</b>			
Drain valves for Cone Check Valve Hose nozzle/male thread 3/4"	0.06	500.00	70207

## Polyester filter INNSBRUCK / compact filter set (plug-in)

RAL 5015 blue, with original Praher 7-way backwash valve, blue, incl. piping set, +3 pcs Ocean® unions d50/1 1/2" male thread, transparent filter lid, man hole 20 cm. Manometer, manual aerating, incl. Smart filter pump series M, installed on PE filter palettes, neutral single packing

Product	G-kg	PU	Prod.No.
Compact filter unit INNSBRUCK d510, side mount with original Praher 1 1/2" 6-way valve, manual, filter palette, pump P1 0,88 kW, P2 0,55 kW, with pre-filter	51.20	1.00	73687
Compact filter unit INNSBRUCK d610, side mount with original Praher 1 1/2" 6-way valve, manual, filter palette, pump P1 1,06 kW, P2 0,75 kW, with pre-filter	60.00	1.00	73688



**+ SERIES M**  
FILTER PUMP



**2,5 BAR**  
OPERATION PRESSURE


**< 50 °C**  
OPERATION TEMP.

### Polyester filter VIENNA II laminated


RAL 5015 blue, with transparent lid screw type or optional black flange lid, incl. manometer, piping set and original Praher SM 1 1/2" or 2" 7-way valve manual, 5 years guarantee for filter tank tightness

#### PRODUCT DETAILS

- filter for private pools
- manufactured according to industrial standards
- reinforced fibre glass filter body
- UV resistant
- transparent lid, easy to open, d 21 cm
- swivel filter arm for easy filling with filter media
- drain set for easy emptying of water
- integrated aerating to avoid air bubbles in the filter
- at max. operation temperature of 50 °C, MOP 1 bar



Dimensions d400-d900



Dimensions d950 - d1400

Also available without Praher valve and piping set on request, personalized colours and label from 100 pcs. against surcharge.



Transparent lid



Drainage kit incl. drain valve with hose connection (parts delivered loose, not included in filter package)



Also available with black flange filter lid

#### TECHNICAL DETAILS D400 - D900

Ø Filter B mm	Ø 400	Ø 510	Ø 620	Ø 680	Ø 750	Ø 900
A mm	565	790	860	915	1020	1020
C mm	250	350	400	420	455	455
D mm	375	475	525	545	595	595
Connection	1,5"	1,5"	1,5"	2"	2"	2"
Filtration Area m <sup>2</sup>	0,13	0,20	0,30	0,36	0,44	0,64
Flow m <sup>3</sup> /h at 50 m <sup>3</sup> /h/m <sup>2</sup>	6,5	10,2	15,1	18,14	22	31,8
Nature Works kg	40	80	120	140	180	260
Gross Weight kg	12	18	23,5	27	33	42

#### TECHNICAL DETAILS LARGE FILTER D950 - D1400

Ø Filter B mm	Ø 950	Ø 1100	Ø 1200	Ø 1400
A mm	675	805	955	1300
C mm	490	400	455	455
D mm	740	525	595	595
Flange Connection	75	90	90	110
Filtration Area m <sup>2</sup>	0,7	0,96	1,13	1,54
Flow m <sup>3</sup> /h at 50 m <sup>3</sup> /h/m <sup>2</sup>	35	47,5	56	77
Nature Works kg	780	1060	1260	1400
Gross Weight kg	62	81	93	120

Product	G-kg	PU	Prod.No.
<b>Polyester filter VIENNA II with transparent lid, screw type</b>			
Polyester filter VIENNA II laminated, side mount, blue, d400, cover screw type transparent, incl. manometer, piping kit and original Praher SM 1 1/2" 7 manual way backwash valve	12.00	8.00	7300491
Polyester filter VIENNA II laminated, side mount, blue, d510, cover screw type transparent, incl. manometer, piping kit and original Praher SM 1 1/2" 7 manual way backwash valve	18.00	8.00	7300492
Polyester filter VIENNA II laminated, side mount, blue, d620, cover screw type transparent, incl. manometer, piping kit and original Praher SM 1 1/2" 7 manual way backwash valve	23.50	8.00	7300493
Polyester filter VIENNA II laminated, side mount, blue, d680, cover screw type transparent, incl. manometer, piping kit and original Praher SM 2" 7 manual way backwash valve	27.00	2.00	7300494
Polyester filter VIENNA II laminated, side mount, blue, d750, cover screw type transparent, incl. manometer, piping kit and original Praher SM 2" 7 manual way backwash valve	33.00	2.00	7300495
Polyester filter VIENNA II laminated, side mount, blue, d900, cover screw type transparent, incl. manometer, piping kit and original Praher SM 2" 7 manual way backwash valve	42.00	2.00	7300496
Drainage Set Vienna II incl. drain valve with hose connection	0.00	1.00	7300853
<b>Polyester filter VIENNA II black lid, flange type</b>			
Polyester filter VIENNA II laminated, side mount, blue d 400, cover flange type black, incl. manometer, piping kit and original Praher SM 1 1/2" 7 way backwash valve manual	12.00	8.00	7300500
Polyester filter VIENNA II laminated, side mount, blue d 510, cover flange type black, incl. manometer, piping kit and original Praher SM 1 1/2" 7 way backwash valve manual	18.00	8.00	7300501
Polyester filter VIENNA II laminated, side mount, blue d 620, cover flange type black, incl. manometer, piping kit and original Praher SM 1 1/2" 7 way backwash valve manual	23.50	8.00	7300502



**CREATE YOUR OWN FULLY AUTOMATIC POOL FILTER**

Select from the wide range the filter dimension you need + the Aquastar® model. We install the original Praher 7-position backwash valve included in the filter set. Of course all Aquastar® models can be delivered with the matching piping sets for all common filter brands for retro-fit and automatization of your manual filter system.



3" valve and Aquastar® for large filters see in chapter backwash valves


Product	G-kg	PU	Prod.No.
Polyester filter VIENNA II laminated, side mount, blue d 750, cover flange type black, incl. manometer, piping kit and original Praher SM 2" 7 way backwash valve manual	27.00	2.00	7300503
Polyester filter VIENNA II laminated, side mount, blue d 750, cover flange type black, incl. manometer, piping kit and original Praher SM 2" 7 way backwash valve manual	33.00	2.00	7300504
Polyester filter VIENNA II laminated, side mount, blue d900, cover flange type black, incl. manometer, piping kit and original Praher SM 2" 7 way backwash valve manual	42.00	2.00	7300505
Drainage set Vienna II incl. drain valve with hose connection	0.00	1.00	7300853
<b>Polyester filter VIENNA II large d950 - d1400</b>			
Polyester filter VIENNA II laminated, side mount, blue, d950, GFK cover 400 mm black incl. 1" purge plug, drain set d75 mm incl. 1" plug, filtration bed height 800 mm, PVCflange connection d75 mm	63.00	1.00	7300542
Polyester filter VIENNA II laminated, side mount, blue, d1100, GFK cover 400 mm black incl. 1" purge plug, drain set d75 mm incl. 1" plug, filtration bed height 800 mm, PVCflange connection d90 mm	82.00	1.00	7300543
Polyester filter VIENNA II laminated, side mount, blue, d1200, GFK cover 400 mm black incl. 1" purge plug, drain set d75 mm incl. 1" plug, filtration bed height 800 mm, PVCflange connection d90 mm	94.00	1.00	7300544
Polyester filter VIENNA II laminated, side mount, blue, d1400, GFK cover 400 mm black incl. 1" purge plug, drain set d75 mm incl. 1" plug, filtration bed height 800 mm, PVCflange connection d110 mm	121.00	1.00	7300545
<b>AQUASTAR COMFORT</b>			
AquaStar Comfort 3001-24 for V6 ND 1 1/2" + 2" 24V AC/DC, digital clock	2.26	1.00	131219
AquaStar Comfort 3001-230 for V6 ND 1 1/2" + 2" 100-240 VAC, digital clock	2.36	1.00	131220
AquaStar Comfort 3001-24 for V6 ND 1 1/2" + 2" 24V AC/DC SafetyPack, digital clock	2.68	1.00	131288
AquaStar Comfort 3001-230 for V6 ND 1 1/2" + 2" 100-240 VAC SafetyPack, digital clock	2.78	1.00	131289
AquaStar Comfort 4001-24 for V6 ND 1 1/2" + 2" 24V AC/DC, time and pressure switch	2.24	1.00	131244
AquaStar Comfort 4001-230 for V6 ND 1 1/2" + 2" 100-240 VAC, time and pressure switch	2.34	1.00	131245
AquaStar Comfort 4001-24 for V6 ND 1 1/2" + 2" 24V AC/DC SafetyPack, time and pressure switch	2.66	1.00	131292
AquaStar Comfort 4001-230 for V6 ND 1 1/2" + 2" 100-240 VAC SafetyPack, time and pressure switch	2.75	1.00	131293
AquaStar Comfort 6501-24 for V6 ND 1 1/2" + 2" 24V AC/DC, digital time-pump clock + pressure switch	2.28	1.00	131270
AquaStar Comfort 6501-230 for V6 ND 1 1/2" + 2" 100-240 VAC, digital time-pump clock + pressure switch	2.38	1.00	131271
AquaStar Comfort 6501-24 for V6 ND 1 1/2" + 2" 24V AC/DC SafetyPack, digital time-pump clock + pressure switch	2.70	1.00	131298
AquaStar Comfort 6501-230 for V6 ND 1 1/2" + 2" 100-240 VAC SafetyPack, digital time-pump clock + pressure switch	2.79	1.00	131299




Optionally, exact venting with Praher S4 laboratory ball valve (chapter PVC Valves, Prod.No. 122353A) for filter series VIENNA II d400-d900 only



K4 butterfly valves PVC, hand, pneumatic or electric actuator, see in chapter PVC products



**+ SERIES M  
FILTER PUMP**



Symbol image, delivery with PVC piping

**Polyester filter VIENNA II / compact filter set**

RAL 5015 blue, with original Praher 7 way valve, blue, incl. glued piping set + 3 pcs Ocean® unions d50/1 1/2"AG, transparent filter lid screw type. Manometer, manual aerating, with Smart filter pump series M, installed on PE filter palette, neutral single packing, 5 years guarantee for filter tank tightness

**TECHNICAL DETAILS**


Ø Filter	Ø 400	Ø 510	Ø 620
A mm	592	817	887
B mm	1000	1000	1000
C mm	600	600	600
D mm	475	783	893
E mm	506	506	506
Connection	1,5"	1,5"	1,5"
Filtration Area m²	0,13	0,20	0,30
Flow m³/h at 50 m³/h/m²	7,5	8,5	15,1
Nature Works kg	40	80	120
Gross Weight kg	19	26	29

Product	G-kg	PU	Prod.No.
Compact filter set VIENNA II laminated,side mount, blue d400, cover screw type transparent, fixed piping, incl. original Praher 7 way backwash valve SM 1 1/2", manual, incl. Smart pump M33 type 0,25 kW 8m3/h	45.00	1.00	7300497
Compact filter set VIENNA II laminated,side mount, blue d510, cover screw type transparent, fixed piping, incl. original Praher 7 way backwash valve SM 1 1/2", manual, incl. Smart pump M50 type 0,37 kW, 10m3/h	50.00	1.00	7300498
Compact filter set VIENNA II laminated,side mount, blue d620, cover screw type transparent, fixed piping, incl. original Praher 7 way backwash valve SM 1 1/2", manual, incl. Smart pump M75 type 0,55 kW, 12m3/h	55.00	1.00	7300499



**2,5 BAR**  
OPERATION PRESSURE

**< 50 °C**  
OPERATION TEMP.



**Polyester Filter VIENNA II laminiert top mount**

RAL5015 blue, incl. manometer, piping set and original Praher SM 1 1/2" bzw. 2" 7-way valve manual, 5 years guarantee for filter tank tightness

**PRODUCT DETAILS-** filter for private pools

- manufactured according industrial standards
- reinforced fibre glass filter body, UV resistant
- incl. pressure indication and 1 1/2" 7 way top mount valve
- drain set for easy emptying of water
- integrated aerating to avoid air bubbles in the filter
- filter opening 17 cm

**TECHNICAL DETAILS**

Ø Filter	Ø 400	Ø 510	Ø 620
A mm	795	1020	1090
B mm	400	510	620
C mm	535	760	830
Connection	1,5"	1,5"	1,5"
Filtration Area m²	0,13	0,20	0,30
Flow m³/h at 50 m³/h/m²	6,5	10,2	15,1
Nature Works kg	40	80	120
Gross Weight kg	12	18	23,5

Product	G-kg	PU	Prod.No.
Polyester filter VIENNA II, laminated, top mount, blue, d400, incl. manometer, clamping ring and original Praher TM 1 1/2" 7 way backwash valve manual	12.00	8.00	7300506
Polyester filter VIENNA II, laminated, top mount, blue, d510, incl. manometer, clamping ring and original Praher TM 1 1/2" 7 way backwash valve manual	18.00	8.00	7300507
Polyester filter VIENNA II, laminated, top mount, blue, d620, incl. manometer, clamping ring and original Praher TM 1 1/2" 7 way backwash valve manual	24.00	8.00	7300508




**17,5 CM**  
MAN HOLE

**2 BAR**  
OPERATION PRESSURE

**MODEL**  
D600 2"

**LID**  
TRANSPARENT



**600 2"**

## Polyester Filter VIENNA laminiert side mount

with original Praher 7-way backwash valve (manual), incl. glued piping set, transparent filter lid, man hole 17.5 cm. Manometer, manual aerating, neutral singlepacking, drain valve, 2 years guarantee for filter

### TECHNISCHE DATEILS

	77364	77365	7300165	77366	77367
Ø Filter D mm	500	600	600	750	900
H mm	805	850	850	985	1050
A mm	290	330	330	325	400
B mm	125	125	125	230	230
Connection	1.5"	1.5"	2" (*)	2"	2"
Filtration Area m <sup>2</sup>	0,19	0,3	0,3	0,44	0,64
Filtration velocity in m <sup>3</sup> /h/ m <sup>2</sup>	50	50	50	50	50
Flow rate m <sup>3</sup> /h	10	14	14	22	32
Sand kg	75	125	125	250	275
<b>Granulat Größe</b>					
0,4 - 0,8 mm	25 kg	25 kg	25 kg	50 kg	25 kg
0,7 - 1,25 mm	50 kg	75 kg	75 kg	100 kg	125 kg
1,0 - 2,0 mm		25 kg	25 kg	75 kg	75 kg
2,0 - 4,0 mm				25 kg	75 kg
Poolvolume up to m <sup>3</sup>	72	112	112	168	240
Max. operation pressure	2 bar	2 bar	2 bar	2 bar	2 bar
Gross weight kg	20	25	25	33	51
Packing volume m <sup>3</sup>	0,27	0,36	0,36	0,60	1,01

(\*) improved Flow and Pressure Loss Values using a 2" valve, see diagrams in chapter Manual Backwash Valves

Product	G-kg	PU	Prod.No.
<u>Polyester filter VIENNA laminated side mount_</u>			
Filter VIENNA side mount black 500 - 20" with manometer incl. pipe-system neutral and single packing with original Praher 1 1/2" 6 way manual valve	18.00	1.00	77364
Filter VIENNA laminated side mount black 600 - 24" with manometer incl. pipe-system neutral and single packing with original Praher 1 1/2" 6 way manual valve	22.70	1.00	77365
Filter VIENNA laminated side mount black 600 - 24" with manometer incl. pipe-system neutral and single packing, with original Praher 2" 6 way manual valve	23.00	1.00	7300165
Filter VIENNA side mount black 750 - 30" with manometer incl. pipe-system neutral and single packing with original Praher 2" 6 way manual valve	35.60	1.00	77366
Filter VIENNA side mount black 900 - 36" with manometer incl. pipe-system neutral and single packing with original Praher 2" 6 way manual valve	48.10	1.00	77367





**Polyester Filter VIENNA 2 laminated 600 – 24" incl. original Praher 1 1/2" 7 ways valve manual, top mount black incl. manometer and clamping set single packed**

Product code: 7300359

product: sand filter  
color: blue  
dimension: 1050mm



**Polyester Filter side mount black d700 - 28" with manometer incl. pipe-system neutral and single packing with original Praher 1 1/2" 6 way manual valve**

Product code: 77357

product: sand filter  
characteristic: side mount  
color: black  
dimension: 700 - 28"  
additional characteristic: with manometer  
special type: incl. pipe-system



**Sand filter SALZBURG 2 bobbin wound top mount black 600 – 24" incl. manometer and clamping set, without valve, neutral and single packed**

Product code: 7300346

product: sand filter  
color: blue  
dimension: 1050mm



**Polyester Filter BREGENZ d450, 2.5 bar, side mount with original Praher 1 1/2" 6 way valve manual**

Product code: 78620



**Polyester Filter INNSBRUCK d510, side mount with original Praher 1 1/2" 6way valve, manual**

Product code: 78608



**Compact Filter unit INNSBRUCK d510, side mount with original Praher 1 1/2" way valve manual, filter palette, pump P1 0,88 kW, P2 0,55 kW, with pre-filter**

Product code: 75191



**Polyethylene Filter LINZ d300 top mount blue with filter pallet, Praher V6 back wash valve and filter pump with pre-filter 4m3/h 230V 0,40 kW**

Product code: 78098

product: sand filter  
characteristic: top mount  
color: blue  
dimension: d300



**OEMP Filter Graz d500, blue RAL5015**

Product code: 78926

**По вопросам продаж и поддержки обращайтесь:**

Алматы (7273)495-231	Казань (843)206-01-48	Новокузнецк (3843)20-46-81	Смоленск (4812)29-41-54
Архангельск (8182)63-90-72	Калининград (4012)72-03-81	Новосибирск (383)227-86-73	Сочи (862)225-72-31
Астрахань (8512)99-46-04	Калуга (4842)92-23-67	Омск (3812)21-46-40	Ставрополь (8652)20-65-13
Барнаул (3852)73-04-60	Кемерово (3842)65-04-62	Орел (4862)44-53-42	Сургут (3462)77-98-35
Белгород (4722)40-23-64	Киров (8332)68-02-04	Оренбург (3532)37-68-04	Тверь (4822)63-31-35
Брянск (4832)59-03-52	Краснодар (861)203-40-90	Пенза (8412)22-31-16	Томск (3822)98-41-53
Владивосток (423)249-28-31	Красноярск (391)204-63-61	Пермь (342)205-81-47	Тула (4872)74-02-29
Волгоград (844)278-03-48	Курск (4712)77-13-04	Ростов-на-Дону (863)308-18-15	Тюмень (3452)66-21-18
Вологда (8172)26-41-59	Липецк (4742)52-20-81	Рязань (4912)46-61-64	Ульяновск (8422)24-23-59
Воронеж (473)204-51-73	Магнитогорск (3519)55-03-13	Самара (846)206-03-16	Уфа (347)229-48-12
Екатеринбург (343)384-55-89	Москва (495)268-04-70	Санкт-Петербург (812)309-46-40	Хабаровск (4212)92-98-04
Иваново (4932)77-34-06	Мурманск (8152)59-64-93	Саратов (845)249-38-78	Челябинск (351)202-03-61
Ижевск (3412)26-03-58	Набережные Челны (8552)20-53-41	Севастополь (8692)22-31-93	Череповец (8202)49-02-64
Иркутск (395)279-98-46	Нижний Новгород (831)429-08-12	Симферополь (3652)67-13-56	Ярославль (4852)69-52-93
Россия (495)268-04-70	Киргизия (996)312-96-26-47	Казахстан (7172)727-132	