

# DOMOTIC PH, DOMOTIC PH+REDOX

## Технические характеристики

### По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231	Казань (843)206-01-48	Новокузнецк (3843)20-46-81	Смоленск (4812)29-41-54
Архангельск (8182)63-90-72	Калининград (4012)72-03-81	Новосибирск (383)227-86-73	Сочи (862)225-72-31
Астрахань (8512)99-46-04	Калуга (4842)92-23-67	Омск (3812)21-46-40	Ставрополь (8652)20-65-13
Барнаул (3852)73-04-60	Кемерово (3842)65-04-62	Орел (4862)44-53-42	Сургут (3462)77-98-35
Белгород (4722)40-23-64	Киров (8332)68-02-04	Оренбург (3532)37-68-04	Тверь (4822)63-31-35
Брянск (4832)59-03-52	Краснодар (861)203-40-90	Пенза (8412)22-31-16	Томск (3822)98-41-53
Владивосток (423)249-28-31	Красноярск (391)204-63-61	Пермь (342)205-81-47	Тула (4872)74-02-29
Волгоград (844)278-03-48	Курск (4712)77-13-04	Ростов-на-Дону (863)308-18-15	Тюмень (3452)66-21-18
Вологда (8172)26-41-59	Липецк (4742)52-20-81	Рязань (4912)46-61-64	Ульяновск (8422)24-23-59
Воронеж (473)204-51-73	Магнитогорск (3519)55-03-13	Самара (846)206-03-16	Уфа (347)229-48-12
Екатеринбург (343)384-55-89	Москва (495)268-04-70	Санкт-Петербург (812)309-46-40	Хабаровск (4212)92-98-04
Иваново (4932)77-34-06	Мурманск (8152)59-64-93	Саратов (845)249-38-78	Челябинск (351)202-03-61
Ижевск (3412)26-03-58	Набережные Челны (8552)20-53-41	Севастополь (8692)22-31-93	Череповец (8202)49-02-64
Иркутск (395)279-98-46	Нижний Новгород (831)429-08-12	Симферополь (3652)67-13-56	Ярославль (4852)69-52-93
Россия (495)268-04-70	Киргизия (996)312-96-26-47	Казахстан (7172)727-132	



## Salt electrolysis DOMOTIC/DOMOTIC PH/REDOX

Self-cleaning electrolysis system for private pools from 50 to 160 m<sup>3</sup>.

### CHARACTERISTICS

- Compact design L370 x B231 x T 135 mm
- Especially designed and constructed for installation in the technical rooms
- Optional with pH control and indication 7.0 – 7.8 pH
- Optional with redox control and indication 600 – 850 mV (ORP)
- Optional with remote control with cable extension
- Communication via MODBUS & PoolStation possible
- Salt reduction indication in %
- Self-cleaning cell and indication
- Electrodes made of titan, durability 5000 – 7000 h
- Transparent cell with d63 solvent connection
- Operation temperature +15 – 40°C max.
- Power supply 230V AC 50/60 Hz
- Salt content 3 – 12 g/l (4-6 g/l recommended)

### APPLICATION

Typ DOMOTIC	12 gr	24 gr	32 gr	42 gr
Pool volume m <sup>3</sup> m <sup>3</sup>	50 m <sup>3</sup>	80 m <sup>3</sup>	120 m <sup>3</sup>	160 m <sup>3</sup>

Product	G-kg	PU	Prod.No.
<b>DOMOTIC</b>			
Salt Electrolysis System DOMOTIC 12G self cleaning 12 g chlorine/hour for private pools up to 50 m <sup>3</sup>	7.35	1.00	78773
Salt Electrolysis System DOMOTIC 24G self cleaning 24 g chlorine/hour for private pools up to 80 m <sup>3</sup>	9.27	1.00	78774
Salt Electrolysis System DOMOTIC 32G self cleaning 32 g chlorine/hour for private pools up to 120 m <sup>3</sup>	9.55	0.00	78775
Salt Electrolysis System DOMOTIC 42G self cleaning 42 g chlorine/hour for private pools up to 160 m <sup>3</sup>	10.54	1.00	78776
<b>DOMOTIC PH</b>			
Salt electrolysis unit DOMOTIC-PH 12G self cleaning with integrated PH-control 12 g chlorine/hour for private pools up to 50 m <sup>3</sup>	6.31	1.00	78777
Salt electrolysis unit DOMOTIC-PH 24G self cleaning with integrated PH-control 24 g chlorine/hour for private pools up to 80 m <sup>3</sup>	8.42	1.00	78778
Salt electrolysis unit DOMOTIC-PH 32G self cleaning with integrated PH-control 32 g chlorine/hour for private pools up to 120 m <sup>3</sup>	11.06	1.00	78779
Salt electrolysis unit DOMOTIC-PH 42G self cleaning with integrated PH-control 42 g chlorine/hour for private pools up to 160 m <sup>3</sup>	10.00	1.00	78780
<b>DOMOTIC PH+REDOX</b>			
Salt Electrolysis System DOMOTIC PH-ORP 12G self cleaning with integrated PH-ORP control 12 g chlorine/hour for private pools up to 50 m <sup>3</sup>	8.52	1.00	78781
Salt Electrolysis System DOMOTIC PH-ORP 24G self cleaning with integrated PH-ORP control 24 g chlorine/hour for private pools up to 80 m <sup>3</sup>	10.63	1.00	78782
Salt Electrolysis System DOMOTIC PH-ORP 32G self cleaning with integrated PH-ORP control 32 g chlorine/hour for private pools up to 120 m <sup>3</sup>	11.32	1.00	78783



**По вопросам продаж и поддержки обращайтесь:**

Алматы (7273)495-231	Казань (843)206-01-48	Новокузнецк (3843)20-46-81	Смоленск (4812)29-41-54
Архангельск (8182)63-90-72	Калининград (4012)72-03-81	Новосибирск (383)227-86-73	Сочи (862)225-72-31
Астрахань (8512)99-46-04	Калуга (4842)92-23-67	Омск (3812)21-46-40	Ставрополь (8652)20-65-13
Барнаул (3852)73-04-60	Кемерово (3842)65-04-62	Орел (4862)44-53-42	Сургут (3462)77-98-35
Белгород (4722)40-23-64	Киров (8332)68-02-04	Оренбург (3532)37-68-04	Тверь (4822)63-31-35
Брянск (4832)59-03-52	Краснодар (861)203-40-90	Пенза (8412)22-31-16	Томск (3822)98-41-53
Владивосток (423)249-28-31	Красноярск (391)204-63-61	Пермь (342)205-81-47	Тула (4872)74-02-29
Волгоград (844)278-03-48	Курск (4712)77-13-04	Ростов-на-Дону (863)308-18-15	Тюмень (3452)66-21-18
Вологда (8172)26-41-59	Липецк (4742)52-20-81	Рязань (4912)46-61-64	Ульяновск (8422)24-23-59
Воронеж (473)204-51-73	Магнитогорск (3519)55-03-13	Самара (846)206-03-16	Уфа (347)229-48-12
Екатеринбург (343)384-55-89	Москва (495)268-04-70	Санкт-Петербург (812)309-46-40	Хабаровск (4212)92-98-04
Иваново (4932)77-34-06	Мурманск (8152)59-64-93	Саратов (845)249-38-78	Челябинск (351)202-03-61
Ижевск (3412)26-03-58	Набережные Челны (8552)20-53-41	Севастополь (8692)22-31-93	Череповец (8202)49-02-64
Иркутск (395)279-98-46	Нижний Новгород (831)429-08-12	Симферополь (3652)67-13-56	Ярославль (4852)69-52-93
Россия (495)268-04-70	Киргизия (996)312-96-26-47	Казахстан (7172)727-132	